

Amphibians

<i>Ambystoma macrodactylum</i>	Long-toed Salamander
<i>Aneides ferreus</i>	Clouded Salamander
<i>Ascaphus truei</i>	Coastal Tailed Frog*
<i>Batrachoseps wrightorum</i>	Oregon Slender Salamander*
<i>Anaxyrus boreas</i>	Western Toad*
<i>Ensatina eschscholtzii</i>	Ensatina
<i>Dicamptodon tenebrosus</i>	Pacific Giant Salamander
<i>Plethodon dunni</i>	Dunn's Salamander
<i>Plethodon vehiculum</i>	Western Red-backed Salamander
<i>Pseudacris regilla</i>	Pacific Tree Frog
<i>Rana cascadae</i>	Cascades Frog*
<i>Rhyacotriton cascadae</i>	Cascade Torrent Salamander*
<i>Taricha granulosa</i>	Rough Skinned Newt

Birds

<i>Accipiter gentilis</i>	Northern Goshawk*
<i>Accipiter striatus</i>	Sharp-shinned Hawk
<i>Aegolius acadicus</i>	Northern Saw-whet Owl
<i>Aix sponsa</i>	Wood Duck
<i>Ardea herodias</i>	Great Blue Heron
<i>Bonasa umbellus</i>	Ruffed Grouse
<i>Bubo virginianus</i>	Great Horned Owl
<i>Buteo jamaicensis</i>	Red-tailed Hawk
<i>Calypte anna</i>	Anna's Hummingbird
<i>Carduelis pinus</i>	Pine Siskin
<i>Cathartes aura</i>	Turkey Vulture
<i>Catharus guttatus</i>	Hermit Thrush
<i>Catharus ustulatus</i>	Swainson's Thrush
<i>Certhia americana</i>	Brown Creeper
<i>Chaetura vauxi</i>	Vaux's Swift
<i>Chordeiles minor</i>	Common Nighthawk
<i>Cinclus mexicanus</i>	American Dipper
<i>Coccothraustes vespertinus</i>	Evening Grosbeak
<i>Colaptes auratus</i>	Northern Flicker
<i>Corvus brachyrhynchos</i>	American Crow
<i>Corvus corax</i>	Common Raven
<i>Cyanocitta stelleri</i>	Steller's Jay
<i>Dendragapus fuliginosis</i>	Sooty Grouse
<i>Dryocopus pileatus</i>	Pileated Woodpecker
<i>Empidonax difficilis</i>	Pacific-slope Flycatcher
<i>Empidonax hammondi</i>	Hammond's Flycatcher
<i>Empidonax traillii</i>	Willow Flycatcher

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Glaucidium gnoma</i>	Northern Pygmy Owl
<i>Histrionicus histrionicus</i>	Harlequin Duck*
<i>Ixoreus naevius</i>	Varied Thrush
<i>Junco hyemalis</i>	Dark-eyed Junco
<i>Loxia curvirostra</i>	Red Crossbill
<i>Megasceryle alcyon</i>	Belted Kingfisher
<i>Megascops kennicottii</i>	Western Screech Owl
<i>Mergus merganser</i>	Common Merganser
<i>Myadestes townsendi</i>	Townsend's Solitaire
<i>Nucifraga columbiana</i>	Clark's Nutcracker
<i>Oporornis tolmiei</i>	MacGillivray's Warbler
<i>Oreortyx pictus</i>	Mountain Quail
<i>Pandion haliaetus</i>	Osprey
<i>Perisoreus canadensis</i>	Gray Jay
<i>Picoides arcticus</i>	Black-backed Woodpecker
<i>Picoides pubescens</i>	Downy Woodpecker
<i>Picoides villosus</i>	Hairy Woodpecker
<i>Pipilo maculatus</i>	Spotted Towhee
<i>Piranga ludoviciana</i>	Western Tanager
<i>Poecile atricapillus</i>	Black-capped Chickadee
<i>Poecile rufescens</i>	Chestnut-backed Chickadee
<i>Psaltriparus minimus</i>	Bushtit
<i>Regulus calendula</i>	Ruby-crowned Kinglet
<i>Regulus satrapa</i>	Golden-crowned Kinglet
<i>Selasphorus rufus</i>	Rufous Hummingbird
<i>Setophaga coronata</i>	Yellow Rumped Warbler
<i>Setophaga occidentalis</i>	Hermit Warbler
<i>Setophaga petechia</i>	Yellow Warbler
<i>Setophaga townsendi</i>	Townsend's Warbler
<i>Sialia mexicana</i>	Western Bluebird
<i>Sitta canadensis</i>	Red-breasted Nuthatch
<i>Sitta carolinensis</i>	White-breasted Nuthatch
<i>Sphyrapicus ruber</i>	Red-breasted Sapsucker
<i>Stellula calliope</i>	Calliope Hummingbird
<i>Strix occidentalis caurina</i>	Northern Spotted Owl†
<i>Strix varia varia</i>	Barred Owl
<i>Thryomanes bewickii</i>	Bewick's Wren
<i>Troglodytes aedon</i>	House Wren
<i>Troglodytes pacificus</i>	Pacific Wren
<i>Turdus migratorius</i>	American Robin
<i>Zonotrichia leucophrys</i>	White-crowned Sparrow

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

Bryophytes

<i>Andreaea rupestra</i>	Andreaea Moss
<i>Anthoceros</i> sp.	Flower Horn' Hornworts
<i>Antitrichia curtipendula</i>	Hanging Moss
<i>Atrichum selwynii</i>	Selwyn's Smoothcap Moss
<i>Aulacomnium androgynum</i>	Little Groove Moss
<i>Bartramia pomiformis</i>	Common Apple-Moss
<i>Blepharostoma tricophyllum</i>	Hairy Threadwort
<i>Brachythecium</i> sp.	Brachythecium Mosses
<i>Bryum</i> sp.	Bryum Mosses
<i>Buxbaumia piperi</i>	Piper's Buxbaumia Moss
<i>Calyptogia azurea</i>	Blue Pouchwort
<i>Cephaloziella</i> sp.	Cephaloziella Liverworts
<i>Ceratodon purpureus</i>	Redshank, Purple Forkmoss, Ceratodon Moss, Fire Moss, Purple Horn-Toothed Moss
<i>Chiloscyphus polyanthos</i>	Square-Leaved Crestwort
<i>Conocephalum conicum</i>	Great Scented Liverwort, Common Mushroom-Headed Liverwort, Snakeskin Liverwort
<i>Dendroalsia abietina</i>	Plume Moss
<i>Dicranoweisia cirrata</i>	Dicranoweisia Moss
<i>Dicranum fuscescens</i>	Dusky Fork-Moss, Curly Heron's Bill Moss
<i>Dicranum tauricum</i>	Fragile Fork-Moss
<i>Dicranum scoparium</i>	Broom Fork-Moss
<i>Diplophyllum albicans</i>	White Earwort
<i>Diplophyllum obtusifolium</i>	Blunt-Leaved Earwort
<i>Douinia ovata</i>	Waxy Earwort
<i>Eurynchium oregonum</i>	Oregon Beaked Moss
<i>Eurynchium praelonga</i>	Slender Beaked Moss
<i>Fissidens bryoides</i>	Tiny Fern-Moss
<i>Fissidens ventricosus</i>	Fissidens Moss
<i>Fontinalis antipyretica</i>	Anti-Fever Fontinalis Moss, Greater Water-Moss, Common Water-Moss
<i>Frullania nisquallensis</i>	Hanging Millipede Liverwort
<i>Frullania californicum</i>	Frullania Liverwort
<i>Grimmia torquata</i>	Grimmia Dry Rock Moss, Twisted Grimmia
<i>Heterocladium procurrens</i>	Tangle Moss
<i>Heterocladium macounii</i>	Macoun's Tangle Moss
<i>Homalothecium nuttallii</i>	Nuttall's Homalothecium Moss
<i>Homalothecium fulgescens</i>	Homalothecium Moss
<i>Hookeria lucens</i>	Shining Hookeria
<i>Hygrohypnum smithii</i>	Smith's Brook Moss
<i>Hylocomnium splendens</i>	Glittering Woodmoss, Splendid Feather Moss, Stairstep Moss, Mountain Fern Moss
<i>Hypnum imponens</i>	Brocade Moss
<i>Hypnum circinale</i>	Coiled-Leaf Moss, Coiled-Leaf Claw-Moss

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Isothecium cardotii</i>	Isothecium Moss
<i>Isothecium stoloniferum</i>	Cat's Tail Moss
<i>Jungermannia sp.</i>	Jungermannia Leafy Liverworts
<i>Jungermannia rubra</i>	Jungermannia Leafy Liverwort
<i>Lepadozia reptans</i>	Little Hands Liverwort
<i>Leucolepis acanthoneuron</i>	Menzie's Tree Moss, Leucolepis Umbrella Moss
<i>Lophozia sp.</i>	Lophozia Liverworts
<i>Marsupella emarginata</i>	Notched Rustwort
<i>Neckera douglasii</i>	Douglas's Neckera Moss
<i>Oligotrichum aligerum</i>	Oligotrichum Moss
<i>Philonotis fontana</i>	Fountain Moss
<i>Plagiochila porelloides</i>	Lesser Feathwort
<i>Plagiomnium insigne</i>	Badge Moss, Coastal Leafy Moss, Plagiomnium Moss
<i>Plagiothecium undulatum</i>	Wavy-Leaved Cotton Moss, Wavy-Leaf Moss
<i>Pleurozium schreberi</i>	Red-Stemmed Feather Moss, Schreber's Big Red Stem Moss
<i>Pohlia sp.</i>	Pohlia Mosses
<i>Polytrichastrum alpinum</i>	Alpine Haircap Moss
<i>Polytrichum juniperinum</i>	Juniper Haircap, Juniper Polytrichum Moss
<i>Porella cordeana</i>	Porella Liverworts
<i>Porella navicularis</i>	Tree Ruffle Liverwort
<i>Porotrichum bigelovii</i>	Bigelow's Porotrichum Moss
<i>Ptilidium californicum</i>	Pacific Fuzzwort
<i>Rhacomitrium affine</i>	Rhacomitrium Moss
<i>Rhacomitrium sp.</i>	Rhacomitrium Moss
<i>Radula bolanderi</i>	Radula Liverwort
<i>Radula complanata</i>	Flat-Leaved Scalewort
<i>Rhizomnium glabrescens</i>	Fan Moss, Large Leafy Moss, Rhizomnium Moss
<i>Rhytidiadelphus loreus</i>	Lanky Moss
<i>Rhytidiadelphus triquetrus</i>	Big Shaggy Moss, Rough Goose Neck Moss
<i>Rhytidiopsis robusta</i>	Pipcleaner Moss
<i>Scapania americana</i>	American Earwort
<i>Scapania bolanderi</i>	Yellow-Ladle Liverwort
<i>Scapania umbrosa</i>	Shady Earwort
<i>Scapania undulata</i>	Water Earwort
<i>Scleropodium obtusifolium</i>	Blunt-Leaved Moss
<i>Scouleria aquatica</i>	Scouleria Moss
<i>Tetraphis pellucida</i>	Pellucid Four-Tooth Moss
<i>Tetraplodon mnioides</i>	Slender Cruet-Moss, Narrow Cruet-Moss, Entire-Leaved Nitrogen Moss
<i>Timmia austriaca</i>	Sheated Timmia, Austria Timmia Moss
<i>Trachybryum megaptilum</i>	Rough Bryum Moss
<i>Ulota megalospora</i>	Largespore Ulota Moss

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

Fish

<i>Oncorhynchus clarkii</i>	Cutthroat Trout
<i>Oncorhynchus mykiss</i>	Rainbow Trout
<i>Oncorhynchus tshawytscha</i>	Chinook Salmon (below Sawmill Falls/Cascada de los Niños)

Fungi

<i>Albatrellus pescapre</i>	
<i>Aleuria aurantia</i>	Orange Peel Fungus
<i>Amanita muscaria</i>	Fly Agaric
<i>Amanita ocreata</i>	Destroying Angel
<i>Amanita pachycolea</i>	Western Grisette
<i>Amanita silvicola</i>	
<i>Amanita vaginata</i>	Grisette
<i>Armillaria mellea</i>	Honey Mushroom
<i>Astraeus pteridis</i>	Western Earthstar
<i>Auriscalpium vulgare</i>	Pinecone Mushroom, Cone Tooth, Ear-pick Fungus
<i>Boletus aereus</i>	Queen Bolete
<i>Boletus chrysenteron</i>	Red-cracked Bolete
<i>Boletus edulis</i>	King Bolete
<i>Boletus fibrillosus</i>	
<i>Boletus mirabilis</i>	Admirable Bolete
<i>Boletus zelleri</i>	Zeller's Bolete
<i>Caloboletus rubripes</i>	Bitter Bolete, Red-stemmed Bitter Bolete
<i>Caloscypha fulgens</i>	Golden Cup, Dazzling Cup
<i>Cantharellus cascadenis</i>	The Hybrid
<i>Cantharellus cibarius</i>	Chanterelle, Golden Chanterelle
<i>Cantharellus subalbidus</i>	White Chanterelle
<i>Chlorociboria aeruginascens</i>	Green Elfcup
<i>Chroogomphus tomentosus</i>	Woolly Pine Spike
<i>Chroogomphus vinicolor</i>	Pine Spike
<i>Clavaria rubicundula</i>	Fairy Club
<i>Clavariadelphus truncatus</i>	Flat-topped Club Coral
<i>Clavulinopsis laeticolor</i>	Handsome Club
<i>Collybia acervata</i>	Clustered Collybia
<i>Coltricia cinnamomea</i>	
<i>Coltricia perennis</i>	
<i>Coprinopsis atramentarius</i>	Inky Cap
<i>Cortinarius alboviolaceus</i>	Silvery-violet Cort
<i>Cortinarius caperata</i>	Gypsy Mushroom
<i>Cortinarius cinnamomeus</i> grp.	Cinnamon Webcap, Cinnamon Cort
<i>Cortinarius sanguineus</i>	Blood-red Webcap, Blood-red Cort
<i>Cortinarius semisanguineus</i>	
<i>Cortinarius traganus</i>	Pungent Cort

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Cortinarius violaceus</i>	Violet Cort
<i>Craterellus cornucopioides</i>	Black Trumpet
<i>Craterellus tubaeformis</i>	Winter Chanterelle, Yellow Foot Chanterelle
<i>Crepidotus herbarum</i>	
<i>Crucibulum farcta</i>	
<i>Crucibulum laeve</i>	Bird's-nest Fungus
<i>Cudonia grisea</i>	
<i>Cystoderma fallax</i>	
<i>Dendrocyollobia racemosa</i>	
<i>Discina perlata</i>	Pig's Ears (not chanterelle)
<i>Elaphomyces granulatus</i>	False Truffle
<i>Fomitopsis officinalis</i>	Agarikon, Quinine Conk
<i>Fomitopsis pinicola</i>	Red-belted Conk
<i>Ganoderma applanatum</i>	Artist's Conk
<i>Ganoderma tsugae</i>	Hemlock Varnish Shelf, Western Varnish Conk
<i>Geopora cooperi</i>	Fuzzy Truffle
<i>Geopyxis carbonaria</i>	Pixie Cup
<i>Gomphidius oregonensis</i>	Insidious Gomphidius
<i>Gomphidius subroseus</i>	Rosy Gomphidius
<i>Gomphus clavatus</i>	Pig's Ears
<i>Guepiniopsis alpina/Heterotextus alpinus</i>	Golden Jelly Cone
<i>Gyromitra esculenta</i>	False Morel, Brain Mushroom, Beefsteak Morel
<i>Helvella crispa</i>	Elfin Saddle
<i>Helvella elastica</i>	Elastic Saddle
<i>Helvella lacunosa</i>	Fluted Black Elfin Saddle
<i>Helvella leucomelaena</i>	White-footed Elf Cup
<i>Helvella maculata</i>	Fluted Brown Elfin Saddle
<i>Hericium abietis</i>	Bear's Head
<i>Hydnellum aurantiacum</i>	
<i>Hydnellum peckii</i>	Bleeding Tooth, Bleeding Hydnellum
<i>Hydnum repandum</i>	Hedgehog
<i>Hydnum umbilicatum</i>	Bellybutton Hedgehog
<i>Hygrocybe conica</i>	Witch's Hat
<i>Hygrophoropsis aurantiaca</i>	False Chanterelle
<i>Hygrophorus bakerensis</i>	Mt. Baker Waxy Cap, Brown Almond Waxy Cap
<i>Hypholoma fasciculare</i>	Sulfur Tuft
<i>Hypomyces chrysospermus</i>	Bolete Eater, Bolete Mould
<i>Hypomyces lactifluorum</i>	Lobster Mushroom
<i>Inocybe fuscodisca</i>	
<i>Inocybe sororia</i>	
<i>Ischnoderma resinatum</i>	Resinous Polypore
<i>Laccaria amethystina</i>	Amethyst Deceiver, Western Amethyst
<i>Laccaria laccata</i>	Deceiver, Waxy Laccaria
<i>Lactarius californiensis</i>	

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Lactarius deliciosus</i>	Saffron Milk Cap, Delicious Milk Cap
<i>Lactarius fallax</i>	Velvety Milk Cap
<i>Lactarius fragilis</i>	Candy Cap
<i>Lactarius pseudomucidus</i>	Slimy Milk Cap
<i>Lactarius rubrilacteus</i>	Bleeding Milk Cap
<i>Lactarius scrobiculatus</i>	Spotted-stalk Milky
<i>Lactarius uvidus</i> grp	
<i>Lactarius xanthogalactus/vinaceorufescens</i>	Yellow-staining Milk Cap
<i>Laetiporus sulphureus</i>	Chicken of the Woods, Sulphur Shelf
<i>Leccinum ponderosum</i>	
<i>Leotia viscosa</i>	Chicken Lips
<i>Leucoagaricus rubrotinctus</i>	Red-tinged Lepiota
<i>Lycoperdon perlatum</i>	Common Puffball
<i>Lyophyllum decastes</i> grp.	Fried Chicken Mushroom
<i>Macrotyphula juncea</i>	
<i>Marasmiellus candidus</i>	
<i>Marasmius copelandii</i>	
<i>Morchella esculenta</i>	Common Morel
<i>Mycena alcalina</i>	Alkaline Mycena
<i>Mycena aurantiidiscea</i>	
<i>Mycena clavularis</i>	Bark Mycena
<i>Mycena epipterygia</i>	Yellowleg Bonnet
<i>Mycena pura</i>	Lilac Bonnet
<i>Mycena strobilinoides</i>	Scarlet Fairy Helmet
<i>Neournula pouchettii</i>	
<i>Otidea onotica</i>	Hare's Ear
<i>Phaelous schweinitzii</i>	Dyer's Polypore
<i>Phellinus pini</i>	Red Heart of Pine
<i>Phellodon tomentosus</i>	Woolly Tooth
<i>Phylloporus rhodoxanthus</i>	Gilled Bolete
<i>Plectania melastoma</i>	
<i>Plectania nannfeldtii</i>	Nannfeldt's Plectania, Black Felt Cup
<i>Pleurocybella porrigens</i>	Angel Wings
<i>Pleurotus ostreatus</i>	Oyster Mushroom, Tree Oyster
<i>Pluteus cervinus</i>	Deer Mushroom
<i>Polyozellus multiplex</i>	Blue Chanterelle
<i>Polyporus badius</i>	Black-footed Polypore
<i>Polyporus elegans/varius</i>	Spring Polypore
<i>Pseudohydnum gelatinosum</i>	Toothed Jelly Fungus
<i>Pseudoplectania nigrella</i>	Ebony Cup
<i>Pseudoplectania</i> sp.	
<i>Pythia vulgaris</i>	
<i>Ramaria araiospora</i>	Red Coral
<i>Ramaria flavobrunnescens</i> var. <i>aromatica</i>	

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Ramaria formosa</i> grp.	Pink Coral, Yellow-tipped Coral
<i>Ramaria gelatinosum</i> var. <i>oregonensis</i>	
<i>Rhizopogon parksii</i>	
<i>Rhizopogon rubescens</i>	
<i>Rhizopogon truncatus</i>	
<i>Russula brevipes</i>	Short-stemmed Russula
<i>Russula fragrantissima</i>	Fragrant Russula
<i>Russula nigricans</i>	Blackening Brittlegill, Blackening Russula
<i>Russula rosacea</i>	Rosy Russula
<i>Russula xerampelina</i>	Shrimp Mushroom, Shrimp Russula
<i>Sarcodon fuscoindicus</i>	
<i>Sarcodon imbricatus</i>	Scaly Tooth
<i>Sarcodon scabrosum</i>	Bitter Tooth, Bitter Hedgehog
<i>Sarcosoma mexicanum</i>	
<i>Sarcosphaera coronaria</i>	Violet Crown-cup
<i>Schizophyllum commune</i>	Split Gill Fungus
<i>Sparassis crispa</i>	Cauliflower Mushroom
<i>Stropharia ambigua</i>	Questionable Stropharia
<i>Stropharia hornemannii</i>	Conifer roundhead
<i>Suillus caerulescens</i>	Fat Jack, Douglas Fir Suillus
<i>Suillus lakei</i>	Matte Jack, Western Painted Suillus
<i>Tapinella atrotomentosus</i>	Velvet Rollrim
<i>Tramella mesenterica</i>	Witches' Butter
<i>Trametes versicolor</i>	Turkey Tail
<i>Trichoglossum hirsutum</i>	Velvety Black Earth Tongue
<i>Tricholoma caligatum</i>	Brown Matsutake
<i>Tricholoma flavovirens</i>	
<i>Tricholoma focale</i>	
<i>Tricholoma magnivelare</i>	White Matsutake, American Matsutake
<i>Tricholoma virgatum</i>	
<i>Turbinellus floccosus</i>	Scaly Chanterelle, Woolly Chanterelle
<i>Turbinellus kauffmanii</i>	
<i>Tyromyces chioneus</i>	White Cheese Polypore
<i>Verpa conica</i>	Thimble Morel
<i>Vibrissea truncorum</i>	Water Club
<i>Xeromphalina fulvipipes</i>	
<i>Xylaria hypoxylon</i>	Stag's Horn Fungus, Candlestick Fungus

Lichen

<i>Aspicilia</i> sp.	Sunken Disk Lichen
<i>Alectoria sarmentosa</i>	Witch's Hair
<i>Baeomyces rufus</i>	Brown Beret Lichen
<i>Bryoria capillaris</i>	Horsehair Lichen
<i>Bryoria pseudofuscescens</i>	Mountain Horsehair Lichen

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Calicium viride</i>	Spike Lichen
<i>Chaenotheca bruneolla</i>	
<i>Chaenotheca furfuracea</i>	Sulphur Pin Lichen, Needle Lichen
<i>Cavernularia hultenii</i>	Hulten's Pitted Lichen
<i>Cladina rangiferina</i>	Reindeer Lichen
<i>Cladonia bellidiflora</i>	Lipstick Lichen
<i>Cladonia cariosa</i>	Split-peg Lichen, Lesser Ribbed Pixie Lichen
<i>Cladonia coniocrae</i>	Smooth-footed Powder Horn
<i>Cladonia cornuta</i>	Bighorn Lichen
<i>Cladonia chlorophea</i>	Mealy Pixie-cup
<i>Cladonia ecmocyna</i>	Orange-footed Pixie Cup
<i>Cladonia fimbriata</i>	Trumpet Lichen
<i>Cladonia furcata</i>	Many-forked Cladonia
<i>Cladonia ochrochlora</i>	Powderhorn Lichen
<i>Cladonia pyxidata</i>	Pebbled Pixie-cup
<i>Cladonia squamosa</i> var. <i>subsquamosa</i>	
<i>Cladonia squamosa</i>	Dragon Funnel
<i>Cladonia transcendens</i>	British Soldiers Lichen
<i>Cladonia verruculosa</i>	Warty Reindeer Lichen
<i>Cyphelium inquinans</i>	Soot Lichen
<i>Dermatocarpon luridum</i>	Silverskin Lichen
<i>Dimerella pineti</i>	
<i>Ephebe lanata</i>	Thread Lichen
<i>Esslingeriana idahoensis</i>	Idaho Esslingeriana Lichen
<i>Evernia prunastri</i>	Oakmoss
<i>Fellhanera bouteille</i>	Bouteille's Fellhanera Lichen
<i>Fuscopannaria pacifica</i>	Silver-rimmed Shingles Lichen
<i>Fuscopannaria praetermissa</i>	Moss Shingle Lichen
<i>Graphis scripta</i>	Pencilmark Lichen
<i>Hypocenomyce</i> sp.	
<i>Hypogymnia apinnata</i>	Beaded Tube Lichen
<i>Hypogymnia enteromorpha</i>	Bulgy Bone Lichen
<i>Hypogymnia imshaugii</i>	Imshaug's Tube Lichen
<i>Hypogymnia inactive</i>	Inactive Tube Lichen
<i>Hypogymnia metaphysodes</i>	Deflated Tube Lichen
<i>Hypogymnia oceanica</i>	Seaside Tube Lichen
<i>Hypogymnia physodes</i>	Monk's-hood Lichen
<i>Hypogymnia rugosa</i>	Wrinkled Tube Lichen
<i>Hypogymnia tubulosa</i>	Powder-headed Tube Lichen
<i>Hypotrachyna sinuosa</i>	Green Loop Lichen
<i>Icmadophila ericetorum</i>	Fairy Puke
<i>Ionaspis lacustris</i>	Rusty Watercolor Lichen

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Japewia tornoensis</i>	Hidden Dot Lichen
<i>Lecanora pacifica</i>	Pacific Rim Lichen
<i>Leptogium corniculatum</i>	Antlered Jellyskin Lichen
<i>Leptogium gelatinosum</i>	Gelatinous Skin Lichen
<i>Leptogium lichenoides</i>	Tattered Jellyskin Lichen
<i>Leptogium polycarpum</i>	Peacock Vinyl Lichen
<i>Leptogium rivale</i>	
<i>Letharia vulpine</i>	Wolf Lichen
<i>Lipolycarpum sp.</i>	
<i>Lobaria oregana</i>	Lettuce Leaf Lichen
<i>Lobaria pulmonaria</i>	Lungwort Lichen
<i>Loxosporopsis corallifera</i>	
<i>Massalongia carnosa</i>	Littlelobed Lichen
<i>Melanelia exasperatula</i>	Lustrous Camouflage Lichen
<i>Melanelia fuliginosa</i>	Shiny Camouflage Lichen
<i>Melanelia multispora</i>	Many-spored Camouflage Lichen
<i>Mycoblastus sanguinarius</i>	Bloody-heart Lichen
<i>Mycoblastus caesius</i>	
<i>Nephroma bellum</i>	Naked Kidney Lichen
<i>Nephroma helviticum</i>	Swiss Kidney Lichen
<i>Nephroma laevigatum</i>	Mustard Kidney Lichen
<i>Nephroma occultum</i>	Cryptic Paw Lichen
<i>Nephroma resupinatum</i>	Pimpled Kidney Lichen
<i>Nephroma parile s. lat.</i>	Powdery Kidney Lichen
<i>Nodobryoria oregana</i>	Pendant Foxtail Lichen
<i>Ochrolechia oregonensis</i>	Pumpkin Pie Lichen
<i>Ochrolechia laevigatum</i>	Pumpkin Pie Lichen
<i>Parmelia hygrophila</i>	Shield Lichen
<i>Parmelia saxatilis</i>	Shield Lichen
<i>Parmelia sulcate</i>	Hammered Shield Lichen
<i>Parmeliella parvula</i>	Lead Lichen
<i>Parmeliella cyanolepra</i>	Lead Lichen
<i>Parmeliopsis hyperopta</i>	Bran Lichen
<i>Parmeliopsis ambigua</i>	Ambiguous Bran Lichen
<i>Peltigera aphthosa</i>	Common Freckle Pelt
<i>Peltigera Britannica</i>	Flaky Freckle Pelt
<i>Peltigera cinnamomea</i>	Cinnamon Pelt Lichen
<i>Peltigera collina</i>	Tree Pelt Lichen
<i>Peltigera hydrothyria</i>	Aquatic Felt Lichen
<i>Peltigera leucophlebia</i>	Ruffled Freckle Pelt Lichen
<i>Peltigera membranacea</i>	Membranous Dog Lichen
<i>Peltigera neopolydactyla</i>	Frog's Pelt

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Peltigera pacifica</i>	Pacific Felt Lichen
<i>Peltigera venosa</i>	Fan Pelt Lichen
<i>Pertusaria subambigens</i>	Frosted Wart Lichen
<i>Physcia aipolia</i>	Hoary Rosette
<i>Physcia adscendens</i>	Hooded Rosette
<i>Physcia tenella</i>	Fringed Rosette
<i>Pilophorus acicularis</i>	Devil's Matchstick
<i>Pilophorus clavatus</i>	Tapered Matchstick
<i>Pilophorus nigricaulis</i>	Charred Matchstick
<i>Placopsis lambii</i>	Bull's Eye Lichen
<i>Placynthium flabelliforme</i>	Scaly Ink Lichen
<i>Placynthium sp.</i>	Blackthread Lichen
<i>Platismatia glauca</i>	Rag Bag Lichen
<i>Platismatia herrei</i>	Tattered Rag Lichen
<i>Platismatia norvegica</i>	Norwegian Ragged Lichen
<i>Platismatia stenophylla</i>	Ribbon Rag Lichen
<i>Porpidia crustulata</i>	
<i>Porpidia macrocarpa s. lat.</i>	
<i>Polychidium contortum</i>	
<i>Polychidium muscicola</i>	Eyed Mossthorns Lichen
<i>Pseudocyphellaria anthraxis</i>	Dimpled Specklebelly
<i>Pseudocyphellaria anomala</i>	Netted Specklebelly
<i>Pseudocyphellaria crocata</i>	Yellow Specklebelly
<i>Pseudocyphellaria mallota</i>	
<i>Pseudocyphellaria rainierensis</i>	Oldgrowth Specklebelly
<i>Psoroma hypnorum</i>	Bowl Lichen
<i>Ramalina dilacerata</i>	Punctured Bushy Lichen
<i>Ramalina farinacea</i>	Farinose Cartilage Lichen
<i>Rhizocarpon sp.</i>	Map Lichen
<i>Solorina crocea</i>	Chocolate Chip Lichen
<i>Sphaerophorus globosus</i>	Globe Ball Lichen
<i>Sphaerophorus tuckermanii</i>	Christmas Tree Lichen
<i>Sphaerophorus venerabilis</i>	Christmas Tree Lichen
<i>Staurothele drummondii</i>	Drummond's Wart Lichen
<i>Staurothele fissa</i>	Lakezone Lichen
<i>Stereocaulon intermedium</i>	Snow Lichen
<i>Stereocaulon tomentosum</i>	Snow Lichen
<i>Sticta beauvoisii s. lat.</i>	Fingered Moon Lichen
<i>Sticta fuliginosa</i>	Peppered Moon Lichen
<i>Sticta limbata</i>	Powdered Moon Lichen
<i>Sticta weigelia</i>	Fringed Moon Lichen
<i>Trapeliopsis flexuosa</i>	Board Lichen

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Thamnolia vermicularis</i>	Whiteworm Lichen
<i>Thelotrema lepadinum</i>	Barnacle Lichen
<i>Trichothelium chloroticum (cf.)</i>	Trichothelium chloroticum (cf.)
<i>Tuckermannopsis chlorophylla</i>	Powdered Wrinkle Lichen
<i>Tuckermannopsis orbata</i>	Variable Wrinkle Lichen
<i>Usnea filipendula grp.</i>	Beard Lichen
<i>Usnea longissimi</i>	Methuselah's Beard
<i>Usnea wirthii</i>	Wirth's Beard Lichen
<i>Verrucaria aethiobola (cf.)</i>	Wart Lichen
<i>Xanthoria oregana</i>	Orange Wall Lichen
<i>Xylographa abietina</i>	Black Woodscript Lichen

Macroinvertebrates

<i>Ameletus sp.</i>	Ameletid mayfly
<i>Baetidae sp.</i>	Small minnow mayfly
<i>Capniidae/Leuctridae sp.</i>	Slender stonefly
<i>Chloroperlidae sp.</i>	Little green stonefly
<i>Corydalinae sp.</i>	Dobsonfly
<i>Ephemerellidae sp.</i>	Spiny crawler mayfly
<i>Glossosomatidae sp.</i>	Saddle case maker caddisfly
<i>Heptageniidae sp.</i>	Flathead mayfly
<i>Leptophlebiidae sp.</i>	Prong gilled mayfly
<i>Limnephilidae/Uenoidae sp.</i>	Case maker caddisfly
<i>Nemouridae sp.</i>	Little brown stonefly
<i>Polycentropodidae sp.</i>	Tube-maker caddisfly
<i>Perlidae sp.</i>	Golden stonefly
<i>Perlodidae sp.</i>	Yellow stonefly
<i>Pteronarcys sp.</i>	Pacific giant stonefly
<i>Rhyacophilidae sp.</i>	Green rock worm
<i>Sialidae sp.</i>	Alderfly

Mammals

<i>Aplodontia rufa</i>	Mountain Beaver
<i>Arborimus longicaudus</i>	Red Tree Vole*
<i>Canis latrans</i>	Coyote
<i>Cervus canadensis</i>	Elk
<i>Corynorhinus townsendii</i>	Townsend's Big-eared Bat†
<i>Erethizon dorsatum</i>	North American Porcupine
<i>Glaucomys oregonensis</i>	Humboldt's Flying Squirrel
<i>Lepus americanus</i>	Snowshoe Hare
<i>Lynx rufus</i>	Bobcat
<i>Marmota flaviventris</i>	Yellow-bellied Marmot

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Martes americana</i>	American Marten
<i>Mustela erminea</i>	Short-tailed Weasel
<i>Myodes californicus</i>	Western Red-backed Vole
<i>Myotis evotis</i>	Long-eared Myotis
<i>Myotis lucifugus</i>	Little Brown Bat
<i>Neotoma cinerea</i>	Bushy-tailed Woodrat
<i>Neotoma fuscipes</i>	Dusky-footed Woodrat
<i>Neotamias amoenus</i>	Yellow-pine Chipmunk
<i>Neotamias townsendii</i>	Townsend's Chipmunk
<i>Ochotona princeps</i>	American Pika*
<i>Odocoileus hemionus columbianus</i>	Columbian Black-tailed Deer
<i>Peromyscus maniculatus</i>	Deer Mouse
<i>Procyon lotor</i>	Northern Raccoon
<i>Puma concolor</i>	Mountain Lion
<i>Sorex vagrans</i>	Vagrant Shrew
<i>Spilogale gracilis</i>	Western Spotted Skunk
<i>Sylvilagus bachmani</i>	Brush Rabbit
<i>Tamiasciurus douglasii</i>	Douglas Squirrel
<i>Ursus americanus</i>	Black Bear
<i>Vulpes vulpes</i>	Red Fox

Plants

<i>Abies amabilis</i>	Pacific Silver Fir
<i>Abies lasiocarpa</i>	Subalpine Fir
<i>Abies procera</i>	Noble Fir
<i>Acer macrophyllum</i>	Bigleaf Maple
<i>Acer glabrum</i>	Douglas Maple
<i>Acer circinatum</i>	Vine Maple
<i>Achillea millefolium</i>	Yarrow
<i>Achlys triphylla</i>	Vanilla Leaf
<i>Actea rubra</i>	Baneberry
<i>Adenocaulon bicolor</i>	Pathfinder, American trailplant
<i>Adiantum aleuticum</i>	Maidenhair Fern
<i>Allotropa virgata</i>	Candystick, Sugarstick
<i>Alnus sinuata</i>	Sitka Alder
<i>Alnus rubra</i>	Red Alder
<i>Amelanchier alnifolia</i>	Serviceberry
<i>Anaphalis margaritacea</i>	Pearly Everlasting
<i>Anemone deltoidea</i>	Three-leaf Anemone
<i>Aquilegia formosa</i>	Crimson Columbine
<i>Arbutus menziesii</i>	Pacific Madrone
<i>Archtostryphos uva-ursi</i>	Bearberry
<i>Archtostryphos columbiana</i>	Hairy Manzanita

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Arnica amplexicaulis</i>	Streambank Arnica
<i>Aruncus dioicus</i>	Goat's Beard, Buck's Beard, Bride's Feathers
<i>Asarum caudatum</i>	Wild Ginger
<i>Aster</i> sp.	Aster
<i>Athyrium felix-femina</i>	Lady Fern
<i>Berberis nervosa</i>	Tall Oregon-grape
<i>Blechnum spicant</i>	Deer Fern
<i>Boykinia elata</i>	Coast Boykinia
<i>Boykinia major</i>	Large Boykinia
<i>Calochortus subalpinus</i>	Subalpine Mariposa Lily
<i>Calypso bulbosa</i>	Calypso Orchid
<i>Capsella bursa-pastoris</i>	Shepherd's Purse
<i>Carex</i> sp.	Sedge
<i>Castilleja</i> spp.	Paintbrush, Prairie Fire
<i>Castinopsis chrysophylla</i>	Golden Chinkapin
<i>Ceanothus velutinus</i>	Snowbrush Ceanothus, Red Root, Tobacco Brush
<i>Chamaecyparis nootkatensis</i>	Alaska Yellow-cedar
<i>Chimaphila menziesii</i>	Menzie's Pipsissewa
<i>Chimaphila umbellata</i>	Pipsissewa
<i>Cirsium</i> sp.	Thistle
<i>Claytonia perfoliata</i>	Miner's-lettuce
<i>Clintonia uniflora</i>	Queen's Cup
<i>Coptis laciniata</i>	Fern-leaved Goldthread
<i>Corallorhiza maculata</i>	Western Coralroot
<i>Corallorhiza maculata</i>	Spotted Coralroot
<i>Cornus stolonifera</i>	Red-Osier Dogwood
<i>Cornus nutallii</i>	Pacific Dogwood
<i>Cornus canadensis</i>	Dwarf Dogwood
<i>Corylus cornuta</i>	California Hazel
<i>Cryptogamma acrostichoides</i>	Common Parsley Fern
<i>Cytisus scoparius</i>	Scotch Broom
<i>Delphinium</i> spp.	Larkspur
<i>Dicentra formosa</i>	Bleeding Heart
<i>Digitalis purpurea</i>	Common Foxglove
<i>Disporum smithii</i>	Smith's Fairybell
<i>Dodecatheon</i> spp.	Shooting Star
<i>Dryopteris expansa</i>	Spiny Wood Fern
<i>Epilobium angustifolium</i>	Fireweed
<i>Equisetum</i> spp.	Horsetail
<i>Equisetum telmateia</i>	Giant Horsetail
<i>Eriogonum</i> sp.	Buckwheat
<i>Eriophyllum lanatum</i>	Oregon Sunshine, Common Woolly Sunflower
<i>Erythronium oregonum</i>	White Fawn Lily
<i>Fragaria virginiana</i>	Wild Strawberry

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Galium aparine</i>	Cleavers
<i>Galium oreganum</i>	Oregon Bedstraw
<i>Gaultheria shallon</i>	Salal
<i>Geum macrophyllum</i>	Large-leaved Avens
<i>Goodyera oblongifolia</i>	Rattlesnake Plantain
<i>Gymnocarpium Abies</i>	Oak Fern
<i>Heuchera micrantha</i>	Small-flowered Alumroot
<i>Hieracium</i> sp.	Hawkweed
<i>Holodiscus discolor</i>	Oceanspray
<i>Hypericum perforatum</i>	Common St. John's-wort
<i>Hypochaeris radicata</i>	Hairy Cat's-ear, Flatweed, False Dandelion
<i>Hypopitys monotropa</i>	Dutchman's Pipe, Pinesap, False Beech-drops, Yellow Bird's Nest
<i>Iris tenax</i>	Oregon Iris
<i>Isopyrum hallii</i>	Hall's Isopyrum
<i>Juniperus communis</i>	Common Juniper
<i>Lactuca muralis</i>	Wall Lettuce
<i>Leucanthemum vulgare</i>	Oxeye Daisy
<i>Lilium washintonianum</i>	Cascade Lily
<i>Lilium columbianum</i>	Tiger Lily
<i>Linnaea borealis</i>	Twinflower
<i>Listera caurina</i>	Northwestern Twayblade
<i>Listera cordata</i>	Heart-leaved Twayblade
<i>Lonicera ciliosa</i>	Orange Honeysuckle
<i>Lupinus</i> spp.	Lupine
<i>Lycopodium inundatum</i>	Clubmoss
<i>Menziesia ferruginea</i>	False Azalea
<i>Mianthimum dilatatum</i>	False Lily-of-the-Valley
<i>Microsteris gracilis</i>	Pink Microsteris
<i>Mimulus guttatus</i>	Yellow Monkey-flower
<i>Mimulus alsinoides</i>	Chickweed Monkey-flower
<i>Mimulus lewisii</i>	Pink Monkey-flower
<i>Mitella pentandra</i>	Five-stamen Mitrewort
<i>Monotropa uniflora</i>	Ghost Plant, Indian Pipe, Corpse Plant
<i>Montia parvifolia</i>	Littleleaf Miner's Lettuce
<i>Montia sibirica</i>	Siberian Miner's Lettuce
<i>Nothochelone nemorosa</i>	Woodland Penstemon
<i>Oplopanax horridus</i>	Devil's Club
<i>Oxalis oregana</i>	Redwood Sorrel, Oregon Oxalis
<i>Pachistima myrsinites</i>	Oregon Boxwood
<i>Pedicularis racemosa</i>	Sicketop Lousewort, Leafy Lousewort
<i>Pedicularis contorta</i>	Curved-beak Lousewort, Coiled Lousewort
<i>Penstemon serrulatus</i>	Coast Penstemon
<i>Penstemon cardwellii</i>	Cardwell's Penstemon
<i>Petasites frigidus</i>	Sweet Coltsfoot

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Petasites palmatus</i>	Palmate Coltsfoot
<i>Phacelia heterophylla</i>	Varied-leaf Phacelia
<i>Pinus monticola</i>	Western White Pine
<i>Pinus contorta</i>	Lodgepole Pine
<i>Plantago lanceolata</i>	English Plantain
<i>Platanthera stricta</i>	Slender Bog-orchid
<i>Polypodium glycorrhiza</i>	Licorice Fern
<i>Polystichum munitum</i>	Sword Fern
<i>Polystichum lonchitis</i>	Holly Fern
<i>Populus trichocarpa</i>	Black Cottonwood
<i>Prunella vulgaris</i>	Self-heal, Heal-all
<i>Pseudotsuga menziesii</i>	Douglas-fir
<i>Pteridium aquilinum</i>	Bracken Fern
<i>Pyrola asarifolia</i>	Pink Wintergreen
<i>Pyrola secunda</i>	One-sided Wintergreen
<i>Pyrola picta</i>	White-veined Wintergreen
<i>Rhamnus purshiana</i>	Cascara Buckthorn
<i>Rhododendron macrophyllum</i>	Pacific Rhododendron
<i>Ribes sanguineum</i>	Red Flowering Currant
<i>Ribes bracteosum</i>	Stink Currant
<i>Ribes lacustre</i>	Swamp Currant
<i>Rosa gymnocarpa</i>	Little Wood Rose
<i>Rubus nivalis</i>	Dewberry
<i>Rubus ursinus</i>	Trailing Blackberry
<i>Rubus spectabilis</i>	Salmonberry
<i>Rubus pedatus</i>	Five-leaved Bramble
<i>Rubus parviflorus</i>	Thimbleberry
<i>Rubus leucodermis</i>	Black Raspberry
<i>Rubus lasiococcus</i>	Dwarf Bramble
<i>Rubus laciniatus</i>	Evergreen Blackberry
<i>Rubus discolor</i>	Himalayan Blackberry
<i>Rumex occidentalis</i>	Western Dock
<i>Salix scouleriana</i>	Scouler's Willow
<i>Salix sitchensis</i>	Sitka Willow
<i>Sambucus cerulea</i>	Blue Elderberry
<i>Saxifraga mertensiana</i>	Wood Saxifrage
<i>Sedum divergens</i>	Spreading Stonecrop
<i>Sedum spathulifolium</i>	Broad-leaved Stonecrop
<i>Selaginella wallacei</i>	Wallace's Selaginella
<i>Selaginella oregana</i>	Oregon Spike Moss
<i>Senecio sp.</i>	Ragworts and Groundsels
<i>Smilacina stellata</i>	Star-flowered False Solomon's-seal
<i>Smilacina racemosa</i>	False Solomon's-seal
<i>Sorbus scopulina</i>	Greene Mountain-Ash

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW

<i>Sorbus sitchensis</i>	Sitka Mountain-Ash
<i>Spiranthes romanzoffiana</i>	Irish Lady's-tresses, Hooded Lady's-tresses
<i>Spirea densiflora</i>	Subalpine Spirea
<i>Spirea douglasii</i>	Douglas Spirea
<i>Stachys mexicana</i>	Mexican Hedge-Nettle
<i>Stachys cooleyae</i> sp. Heller	Cooley's Hedge-nettle
<i>Streptopus amplexifolius</i>	Clasping Twistedstalk
<i>Streptopus roseus</i>	Rosy Twistedstalk
<i>Taraxacum officinalis</i>	Common Dandelion
<i>Taxus brevifolia</i>	Pacific Yew
<i>Tellima grandiflora</i>	Fringecup
<i>Thalictrum occidentale</i>	Western Meadowrue
<i>Thelypteris nevadensis</i>	Nevada Marsh Fern
<i>Thuja plicata</i>	Western Redcedar
<i>Tiarella trifoliata</i>	Foamflower
<i>Tolmiea menziesii</i>	Piggy-back Plant
<i>Trautvetteria caroliniensis</i>	False Bugbane
<i>Trientalis artica</i>	Star Flower
<i>Trifolium</i> sp.	Clover
<i>Trillium ovatum</i>	Western Trillium
<i>Trientalis latifolia</i>	Western Starflower
<i>Tsuga mertensiana</i>	Mountain Hemlock
<i>Tsuga heterophylla</i>	Western Hemlock
<i>Vaccinium alaskaense</i>	Alaskan Huckleberry
<i>Vaccinium parvifolium</i>	Red Huckleberry
<i>Vaccinium ovatum</i>	Oval-leaved Huckleberry
<i>Vaccinium membranaceum</i>	Black Huckleberry
<i>Valeriana sitchensis</i>	Sitka Valerian
<i>Vancouveria hexandra</i>	Northern Inside-out Flower
<i>Veratrum</i> spp.	Hellebore
<i>Verbascum thapsus</i>	Common Mullein
<i>Vicea</i> sp.	Vetch
<i>Viola orbiculata</i>	Roundleaf Violet
<i>Whipplea modesta</i>	Common Whipplea, Modesty, Yerba de Selva
<i>Xerophyllum tenax</i>	Bear Grass, Squaw Grass, Soap Grass, Quip-quip, Indian Basket Grass

Reptiles

<i>Charina bottae</i>	Rubber Boa
<i>Elgaria coerulea</i>	Northern Alligator Lizard
<i>Thamnophis sirtalis</i>	Common Garter Snake

* Classified as sensitive by Oregon Dept. of Fish and Wildlife

† Classified as sensitive-critical by ODFW

‡ Classified as threatened by ODFW